SIEMENS

Лист тех. данных 5TG1114-3



версия	
торговая марка изделия	DELTA MIRO
наименование изделия	Рама
исполнение лицевой рамки / исполнение заподлицо	нет
Общие технические данные	
обработка поверхности	прочее
материал	термопласт
класс защиты	
степень защиты ІР	IP20
пригодность	
пригодность к интеграции	
• подпольная соединительная коробка	нет
• скрытый монтаж	да
появление	
внешний вид	глянцевый
цветовой код RAL	RAL 1013
цвет	электро-белый
Подробнее	
компонент изделия	
• поле для надписей	нет
• откидная крышка	нет
характеристика изделия	
• безгалогенный	да
• прозрачный	нет
число	
число блоков	4
Механическая конструкция	
высота	303 mm
ширина	90 mm
вид креплений	клеммное крепление
монтажное положение	горизонтально и вертикально
материал / лицевой рамки	Пластмасса
General Product Approval	





Дополнительная информация

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/lowvoltage/catalogs

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=5TG1114-3

Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/ru/ps/5TG1114-3

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TG1114-3

Tender specifications

http://www.siemens.com/specifications

